Index 1998

A

Abdominal pain, chronic, 143
ABO isoimmunisation, 532
Abortions
spontaneous, *see* Miscarriage
therapeutic, request for IUD removal after four, 555–63
Acamprozoate, 22
Accolate, 656
ACE inhibitors
heart failure in elderly, 584
hypertensive diabetics, 588, 589
post–MI, 133, 156, 159–60, 162
travelling and, 131, 133
Acne
common (vulgaris), 300–1
drug non–compliance, 317
pomade, 293–4
Acne keloidalis nuchae, 293
Acral subungual melanoma, 265
Acrodermatitis of Halapeau, 283, 284
Acropustolosis, infantile, 294
Actinic cheilitis, 272
Actinic keratosis, 270–1, 277
Acupuncture, low back pain, 772
Adenocarcinomas, cystic, ultrasound, 299
Adenoid cystic carcinoma, 474
Adenoidectomy
glue ear, 455, 456
suction diathermy, 479
Adenoma(s), pleomorphic salivary gland, 474
Adenomatous polyposis, familial (FAP), 306–7, 308, 310
Adherence, *see* Compliance
Adhesions, pelvic region, 123–4
Adjustment disorder with anxiety, 40
Adolescent, headache, 331–40
Adrenaline, in cardiac arrest, 649
Affective disorders, 24–32, *see also* Depression
Agoraphobia, 40
AIDS, *see* HIV disease
Air travel, 384–7, 411
heart disease and, 132–3, 385
lung disease and, 381–2, 387
Airway disease, chronic obstructive, *see* Chronic obstructive pulmonary disease
Alcohol
abuse, 16–22, 423–30
travel with heart disease and, 131
Allergic alveolitis, 200–4
Allergy
food, 590, 592
in perennial rhinitis, 651
Allopurinol, 546
Alopecia/hair loss, 278–80, 280–1, 281, 289–90
diffuse, 278–9
patchy, 279–80
scarring, 280–1
traction, 293
Alpha–blockers
hypertensive diabetics, 589
prostatic hyperplasia (benign), 642
Alprostadil, *see* Prostaglandin E_1
Alveolitis, allergic, 200–4
Alzheimer's disease
new drugs, 592
prevention, 38
Amaryl, 592
Amaurosis fugax, 852
Ambulatory O_2 therapy, 172
Amenorrhoea in polycystic ovary syndrome, 103
Amias, 230
Amiodarone, photosensitivity, 131
Amylin, 865
Analgesics
low back pain, 772
terminal cancer, 505–15
Ancylostomiasis, 374
Androgen excess, in polycystic ovary syndrome, 105–6
Androgenic alopecia, 279–80, 281
Angina, 564–6, 570–6, 593
stable, 564–6, 570–6
travel and, 133
unstable, 566
Angioplasty, percutaneous transluminal, 568, 570–2, 576
Angiotensin II receptors antagonists
diabetics, 589
new product, 230
Angiotensin–converting enzyme inhibitors, *see* ACE inhibitors
Ankle replacement, total, 766
Annular psoriasis, 283
Anovulation in polycystic ovary syndrome, 103
Anti–androgens in polycystic ovary syndrome, 105–6
Antibiotics, 725
acne, 301
chlamydia, 709
cystitis, 700, 702
effectiveness, 686
otitis externa, 468, 471
otitis media with effusion, 456–7
resistance, 682, 682–3
sinusitis, 714–16
sore throat, 493
traveller's diarrhoea, 392
prophylactic, 394
tuberculosis, *see*
Antituberculous drugs
urinary tract infection (child), 540, 541
Anticoagulant prophylaxis in IHD, low–dose, 799–803
Anticonvulsants, religious objection, 819–30
Anti–D prophylaxis, 90–4, 113
Antidepressants, 24–32
in anxiety, 43
new, 656
prescribing, 26–8
side–effects, 26, 28, 32
Antidiarrhoeals, 390–2
Antiepileptics, religious objection, 819–30
Antifungals, tinea pedis, 225
Antihypertensives
diabetics, 588, 589
elderly, 577–80
new products, 230
Antileukotrienes, 184, 395–9
new product, 230
Antimalarials, 349–65
new, 362–5
prophylactic, 344–6
new guidelines, 344–6, 686–91
resistance, 349–62
toxicity, 344, 356, 361
Antimicrobials, non–antibiotic
acne, 300–1
traveller's diarrhoea, 392
Anti–oestrogens in polycystic ovary syndrome, 103–5
Anti–oxidants and dementia, 36–8
Antiplatelet agent, new, 724
Antipsychotics (neuroleptics), 47–50
in anxiety, 43–6
side–effects, 48, 50
Antirheumatoid drugs, 745–8
Antispasmodics, irritable bowel syndrome, 798
Antituberculous drugs, 194–6
multi–drug resistance, 184, 196
Anxiety, 39–46
hyperventilation, 187, 188
Anxiolytics,42–6
Apnoea, sleep, 460–1
obstructive, travellers, 383
Apomorphine, erectile dysfunction, 636
Appetite problem, children, 520–2
Arbovirus infections, 368
Arm injury, child, 792
Arsenical keratoses, 275, 277
Arthritis, 733
gouty, 546
rheumatoid, 733, 743–8
Arthroplasty, 752–66, 868
knee
resective, 778–80
total, 764–6, 777–8
Arthroscopy, knee, 780
Aspirin, 582
in atherosclerotic/ischaemic heart disease
post–MI, 156, 159, 162
prophylactic, 582, 799–803
dementia prevention and, 38
Asthma, 205–15, 395–9
acute, 207–8, 208
antileukotrienes, *see* Antileukotrienes
BTS guidelines on, 180, 212, 213, 215
chronic, 205–7, 208
key developments and new products, 179–80, 183–4, 184, 230, 410, 656
mistaken diagnosis, 208
self–management plans, 212–15
travellers, 383
Atenolol and travelling heart patients, 132
Atherosclerotic disease, aspirin prophylaxis,*see* Aspirin
Atopic eczema, 471
racially pigmented skin, 292
Atrial fibrillation
elderly, 584–6
paroxysmal, travel and, 132
Atropine, 649
Attention deficit hyperactivity disorder (ADHD), 73–82
Autoimmune attack on myelin, 403
Axillary trichomycosis, 697
Azelaic acid, acne, 301
Azithromycin, 362–5

B

Back pain, 809
child, 791
low, 770–6
Bacterial infections
antibiotics, *see* Antibiotics
conjunctivitis, 305
skin, 692–7
Baldness, *see* Alopecia
Balsalazide, 314
Basal cell carcinoma (rodent ulcer), 288, 289, 718
eyelid, 848
Basal cell naevus syndrome, 289
Beclomethasone propionate, 808
Behaviour problems, children, 73–82
food intolerance, 591–2
Behaviour therapy
anxiety, 46
over–breathing, 189, 191
Benzodiazepines, anxiety, 42
Benzoyl peroxide, acne, 300–1
β–agonists in asthma
long–acting, 184
short–acting, 206
β–blockers
in anxiety, 43
heart patients
post–MI, 156, 159, 162
travel and, 132, 133
new product, 724
Bird fancier's lung, 201, 204
Bisoprolol, post–MI, 156, 159
Bladder
child's, improving emptying, 541
in multiple sclerosis, 403
Bleeding, *see* Haemorrhage
Blepharitis, 845–6
Blindness, sudden, 851–3
Blood disorders and flying, 385
Blood group disease, neonatal, 532
Blood pressure
measurement in diabetics, 587–8
raised, *see* Hypertension
Bone tumours, child, 792
Borreliosis, 371
Botulinum toxin, 774
Bowel disorders
irritable bowel, 794–8
malignant, familial, 306–14
pelvic pain with, 120, 121, 123–4, 125
Bowen's disease, 270, 275, 277
Branchial cyst, 474–5
Breast disease, 216–19
benign, 216–18
malignant (carcinoma), 219
HRT and, 115
signs/symptoms, 218
men, 219
Breast milk jaundice, 534
Breathing, over–, 187–91
Brimonidine, 834
British Thoracic Society guidelines
asthma, 180, 212, 213, 215
COPD, 180
nebulised therapy, 180
British Travel Health Association, 346
Bronchodilators
asthma, 184, 206
chronic obstructive pulmonary disease, 58, 59
Bronchopulmonary dysplasia, 536
Budgerigar fancier's lung, 201, 204
Bus travel and heart disease, 132
Buspirone in anxiety, 42
Bypass graft, coronary, 569, 571

C

Calcaneovalgus foot, 791
Calcium channel blockers
hypertensive diabetics, 589
new products, 230
Calcort, 230
Canalith repositioning technique, 479–80
Cancer (incl carcinoma)
breast, *see* Breast
colorectal, familial, 306–14
endometrial, *see* Endometrial disorders
eyelid, 849

head/neck, 473–4, 474, 475
larynx/vocal fold, 450, 453
ovarian
HRT and, 115
ultrasound, 299
pain management, 505–15
prostate, *see* Cancer
skin (and possible/potential cancer, 241, 254–66, 270–7, 288, 289, 718
testicular, 628–30
Candesartan cilexitil, 230
Car travel and heart disease, 132
Carbon-13-urea breath test, 656
Carbuncles, 694
Carcinoma, *see specific site/type*
Carcinoma in situ, squamous cell (skin), 275–7
Cardiac arrest guidelines, 646–9
Cardiopulmonary resuscitation, 649
Cardiovascular system, 564–89 *(symp.), see also* Heart
disorders, 564–89 *(symp.)*, 622
elderly, 577–82, 589
males, 622, 657
travelling with, 130–3, 385
HRT and, 114–15
Carotid body tumours, 474
Cartilage
damage in rheumatoid arthritis, 748
grafts to knee, 780
Carvedilol, 724
Cataract, 832–3, 836–41
Cellulitis, 694–6
Cerebrovascular disease, *see also* Stroke
dementia and, 35, 36
HRT and, 114–15
Cervical dilatation indicating inevitable miscarriage, 88
CFC-free metered-dose inhalers, 179–80
Cheilitis, actinic, 272
Chickenpox, *see* Varicella—zoster
Children, 516–41 *(symp.), see also* Infants/toddlers; Neonates
asthma self-management plans, 215
behaviour problems, *see* Behaviour problems
cochlear implants, 434–44
facial Afro-Caribbean eruption, 294
food intolerance, 590–2
glaucoma, 858
glue ear, 455–7
growth hormone therapy, 486–8
immunisation/vaccination, 524–6
premature infant, 536
scares, 243–53, 503, 524–6
irritable bowel, 796
sleeping problem, MRCGP question, 55
toys in consulting room, 547
Chlamydia trachomatis, 704–10
screening, 667, 710
Chlordiazepoxide and alcohol abuse, 18
Chloroquine
proguanil plus, 361, 365
resistance, 352, 354
Cholesterol, raised, elderly, 580–1
Chorioretinopathy, central serous, 853
Chronic fatigue syndrome, 408
Chronic obstructive pulmonary (lung/airway) disease, 57–60
asthma mistaken for, 206
flying and, 381
lung function tests, 58, 59, 153
oxygen therapy, 171
Circumcision, 671–81, 868
Clickhaler with Asmasal, 410
Clomiphene, polycystic ovary syndrome, 103–5
Clopidogrel, 724
Clozapine, 48
Clubfoot, 791
Co-analgesics, terminal cancer, 515
Cochlear implants,434–44
Cognitive decline in elderly, 34–8
Cognitive therapy
anxiety, 46
depression, 31
over-breathing, 189, 191
Colazide, 314
Colchicine, 546
Cold, common, 684
Colitis, ulcerative, 314
Colorectal cancer, familial, 306–14
Common cold, 684
Community mental health nurses, 5
Community mental health team, referral to, 31
Compliance (and non-compliance)
acne medication, 317
antipsychotics, 47–8
Computed tomography of chest high-resolution, 180
Confidentiality, teenager with headache, 332
Congenital glaucoma, 858
Congenital orthopaedic disorders, 786, 791
Conjunctivitis, 305
Connective tissue disease, 614
Consultation, video (MRCGP), 229, 655, 720–4
Contact dermatitis, 471
Contact lenses, 869
Contact tracing, tuberculosis, 196
Continuous positive airway pressure, 462–4
Contraceptives
intrauterine, *see* Intrauterine contraceptive device
oral, in polycystic ovary syndrome, 103
Cornea, refractive procedures, 835
Coronary (ischaemic) heart disease
management, 570–6
surgical, 568–9, 570–2, 576
prevention, secondary, 553, 582, 799–803
Corticosteroids, *see* Steroids
Corynebacterium spp, 696–7
Cot death (SIDS), 536
Counselling, depression, 542–5
Courses, MRCGP preparation, 229
Cow's milk, intolerance, 591
Critical appraisal/reading questions, 55, 655, 866, 867
Cutaneous disorders, *see* Dermatological conditions
Cyproterone acetate in polycystic ovary syndrome, 105–6
Cyst(s)
breast, 218
epididymal, 627
eyelid, 844, 845
neck, 474–5
ovarian, 125
multicystic disease, 100
polycystic disease, 96–106
ultrasound, 100, 299
Cystadenomas, ovarian, ultrasound, 299
Cystic fibrosis, matched donor-related lobe transplants, 184
Cystitis, 699–702

D

Deaths, *see* Mortalities
Defibrillators, 647, 649
Deflazacort, 230
Dehydration and travelling with heart disease, 130–1
Dementia, prevention, 34–8
Dengue, 344, 368
Depression, 24–32
adjustment disorder with anxiety and, 40
counselling, 542–5
resistant, 31
Dermatitis, *see* Eczema
Dermatological conditions, 241, 254–96*(symp)*, 300–1*(symp)*, 366–78*(symp)*,
cancer/potential cancer, 241, 254–66, 270–7, 288, 289, 718
infections, 692–7
key developments, 288–90
returning travellers', 366–78 *(symp)*
role of primary care, 241
Dermatosis papulosis nigra, 294
Detoxification
alcohol, 18, 22
heroin, 735–40
Detrunorm, 808
Diabetes, 587–9
dementia and, 35
hypertension in, 587–9
new products, 592, 808
non-insulin-dependent, polycystic ovary syndrome and, 106
retinopathy, 831–2
Diagnostic and Statistical Manual IV on affective disorders, 24, 26
Diarrhoea, traveller's, 388–94
Diet/nutrition, *see also* Eating problems; Food intolerance
dementia and, 36–8, 38
irritable bowel syndrome, 798
preterm infant, 536
travelling with heart disease and, 131
Diethyltoluamide (DEET), 362
Dipstick tests, child, 540
Discoid lupus erythematosus, 280, 286
Districhiasis, 850
Dizziness, *see* Vertigo
DNA tests, chlamydia, 667, 706–8
Doppler blood flow, uterine, 299
Dorzolamide, 834
Down's syndrome, screening, 110
Doxycycline, 365
Dracunculosis, 374
Drug(s), *see also specific (types of) drugs*
addiction, detoxification, *see* **Detoxification**
cardiac arrest, 649
erectile dysfunction, 634–6
glaucoma, 834, 857
lumbar pain, 772, 774, 776
new products, 230, 314, 410, 592, 656, 724, 808
rheumatoid arthritis, 745–8
Dying patient, *see* Terminal illness

E

Ear, nose and throat (otorhinolaryngological) disorders, 434–84*(symp)*, 712–17
flying and, 385
Key developments, 478–81
Eating problems, toddlers, 516–22, *see also* Diet
Ecthyma, 693–4
Ectopic pregnancy, 88
Ectropion, 849–50
Eczema/dermatitis
atopic, *see* Atopic eczema
external ear, 471
scalp, 281
Edronax, 656
Eformoterol, 184
Elbow replacement, total, 766
Elderly
cardiovascular disease, 577–86, 589
cognitive decline, 34–8
depression, 32
macular degeneration, 853
Embolus, pulmonary, flying and, 382–3
Emesis, neonatal, 534
Emotional abuse, 520
Emphysema, lung volume reduction surgery, 180
Encephalitis, viral, 489–92
Endolymphatic sac surgery, 484
Endometrial disorders
malignancy, 12, 15
HRT and, 115
menorrhagia with, 12, 15
Endometriosis, 121, 299
referral, 69
Endometriotic cysts, ultrasound, 299
Endoscopic sinus surgery, functional, 478–9
Enteroviruses, 489–90
Entropion,850
Epidermolysis bullosa, 289
Epididymal cysts, 627
Epididymo-orchitis, 628
Epidural steroid, lumbar pain, 774
Erectile dysfunction, 314, 620–2
Erysipelas 694
Erythrasma, 696–7
Erythrocyte sedimentation rate, raised, Kurdish refugee, 605–15
Erythrodermic psoriasis, 284, 285
Erythroplasia of Queyrat, 275–7
Ethical issues in MRCGP, 724, 807
Ethmoidal sinusitis, 713
Ethnic groups, see Racial groups
Etidronate, 184
Eucardic, 724
Eustachian venting, 384
Evista, 808
Exelon, 592
Eye disorders, 302–5, 831–58 *(symp.)*
flying and, 385–6
Eyelid conditions, 844–50

F

Face
Afro-Caribbean childhood eruption, 294
pain in sinusitis, 716–17
Failure to thrive, 520
preterm, 536
Family history of breast cancer, 219
Farmer's lung, 200, 204
Fat absorption, drug cutting, 808, 860–5
Fatigue, chronic (syndrome), 408
Feet, *see* Foot
Females, *see* Women
Femoral epiphysis, capital/upper avascular necrosis, 788
slipped, 788

Fertility problems, *see* Infertility
Fibrocystic disease of breast, 218, 219
Fibroids, uterine, 125
Fibromyalgia, 407–10
Finasteride, 289
benign prostatic hyperplasia, 642–4
Flashes, ocular, 302–4
Flatfoot, 791
Flexural psoriasis, 286
Floaters, ocular, 302–4
Fluoxetine, hyperactive child, 78
Flying, *see* Air travel
Folliculitis, 694
Food intolerance, children, 590–2, *see also* Diet; Eating problems
Foot
child disorders, 789–91
fungal infection, 225
Forced expiratory volume (one second) in chronic obstructive pulmonary disease, 58, 59, 60, 153
Forced vital capacity in chronic obstructive pulmonary disease, 58
Fractures and flying, 385
Freckles, 256
Fungal infections
ear, external (=otomycosis), 470, 471
feet, 225
Furuncles/furunculosis, 470, 694

G

γ-glutamyl transferase test and alcohol abuse, 16–18
Gastroenteritis
neonatal, 534
rice-based oral rehydration therapy, 686
Gastrointestinal disorders and flying, 385
Gastro-oesophageal reflux
toddlers, 520
voice disorders, 453
Gender and diagnosis, 143
General practice literature and MRCGP, 53–4, 54–5
General practice management and MRCGP, 807
Genetic disorders
colorectal cancer (familial) as, 306–14
rheumatoid arthritis as, 748
skin, 289
Genetic tests, familial colorectal cancer, 308
Glaucoma, 834–5, 855–8
Glimepiride 592
Glue ear, 455–7
Goitre, 475
Gorlin's syndrome, 289
Gout 546
Grafting, *see* Transplantation
Grepafloxacin, 682
Grommets, 456–7
Growth and development, 785–6
preterm, 536
variants, 785–6
Growth hormone therapy, 486–8
Guinea worm, 374
Guttate hypomelanosis, 296
Guttate psoriasis, 282–3
Gynaecology, 84–119 *(symp.)*
ultrasound, *see* Ultrasound
Gynefix, 592

H

Haemangioma, eyelid, 847
Haematoceles, 627–8
Haemolytic jaundice, neonatal, 532
Haemorrhage/bleeding
vaginal
menstrual *see* Menstruation
in pregnancy, 84–94
vitreous, 853
with warfarin/aspirin IHD prophylaxis, 801–3
Haemorrhagic dengue fever, 368
Hair, 278–80
loss, *see* Alopecia
Halapeau's acrodermatitis, 283, 284
Head lice, 126–9
Headache
teenager, 331–40
viral meningitis, 490
Hearing, neonatal screening, 481
Hearing aids, 421
Heart disease, 564–89*(symp.)*, *see also* Cardiac arrest
elderly, 577–86
ischaemic/coronary, *see* Coronary heart disease
travel and, 130–3, 385
Heart failure, 569, 582–4, 724
elderly, 582–4
travel and, 133
Helicobacter test, Infai, 656
Helminthic infections, travellers, 374–8
Heparin in unstable angina, 566
Hepatitis, viral, 691
Hernia, inguinal, 628
Heroin detoxification, 735–40
Herpes simplex virus (HSV) meningitis/encephalitis, 490, 491, 492
Herpes zoster, *see* Varicella—zoster
Hip
developmental dysplasia, 786–8
irritable, 788
replacement, total, 752–64
HIV disease/AIDS
skin lesions, 378
tuberculosis and, 193
HMG-reductase inhibitors, *see* Statins
Hoarseness, 448–54
Homeopathic immunisation, 243–53
Hordeolum, 844, 845
Hormone replacement therapy, 114–19
dementia prevention and, 35–6, 39
in menorrhagia, 9
Horn, cutaneous, 275, 277
Hot flushes and HRT, 114
Hot topics (MRCGP), 655
House dust mite allergy, 651
Human immunodeficiency virus, *see* HIV
β-Human chorionic gonadotrophin β-HCG) tests, 88
Hyalgan, 656
Hydroceles, 627
5-Hydroxytryptamin (5-HT), *see* Serotonin
Hyperactive child, 73–82
Hyperandrogenaemia in polycystic ovary syndrome, 105–6
Hypercholesterolaemia, elderly, 580–1
Hyperinsulinaemia in polycystic ovary syndrome, 106
Hyperpigmentation in racially pigmented skin, 294, 296
Hypertension, 577–80, 587–9
diabetics, 587–9
drugs, *see* Antihypertensives
elderly, 577–80, 589
Hyperventilation, 187–91
Hypoglycaemics, oral, new, 592, 808
Hypomelanosis, guttate, 296
Hypoxaemia, chronic, oxygen therapy, 167–71
Hypoxia, aircraft,381–2
Hysterectomy, menorrhagia, 9, 15

I

Imaging of knee, 784, *see also specific modalities*
Immigrant, Kurdish, 605–15
Immunisation/vaccination
child, *see* Children
enteric pathogens, 394
malaria, 365
Immunocompromised persons, tuberculosis, 193
Immunomodulatory therapy
multiple sclerosis, 404
rheumatoid arthritis, 748
Immunosuppressive drugs
multiple sclerosis, 404
travellers, 383
Impetigo, 405, 692–3
Impotence, 314, 620–2
Infants/toddlers, *see also* Neonates
acropustolosis, 294
eating problems, 516–22
Infections,
682–710 *(symp.)*, *see also* specific conditions and (types of) pathogen
conjunctival, 305
cutaneous, 692–7
ear, 456–7, 468–71
with grommets, 456–7
eyelid, 844–6
feet, 225
Kurdish refugee, 609, 612
neonatal, 534
traveller's, 366–78
diarrhoea with, 388–94
flying and, 386, 387
immunosuppressants and, 383
urinary tract, *see* Urinary tract
Infertility
in polycystic ovary syndrome, 103–5
ultrasound, 298–9
Inflammation
eyelid, 844–6
in rheumatoid arthritis, 748
Inflammatory skin disease, 288–9
Influenza, 684–5
Inguinal hernia, 628
Inhalers
asthma, 410
problems, 206–7
CFC-free metered-dose, 179–80
chronic obstructive pulmonary disease, 58
Inherited disorders, *see* Genetic disorders
Injury, child, 791–2
Insecticides with head lice, 127, 128, 129
Insulin, excess in polycystic ovary syndrome and, 106
Intensive care, neonatal, discharge from, 534–6
Intestinal lipase inhibitor (orlistat), 808, 860–5
Intestine, *see* Bowel disorders
Intra-articular knee procedures, 780
Intracavernosal PGE$_1$, 634
Intraocular lens implant, 832–3, 838–40
Intraocular pressure, raised, 832, 856, 858
Intrathecal drugs, low back pain, 776
Intraurethral drugs, erectile dysfunction, 314, 636
Intrauterine contraceptive device
new product, 592
request for removal after four abortions, 555–63
Intrauterine growth retardation, GH therapy, 487
Irritable bowel syndrome, 120, 125, 794–8
Irritable hip, 788
Ischaemia, silent myocardial, 564–6, *see also* Coronary heart disease
Ischaemic optic neuropathy, 852
Itchy ear, chronic, 471
IU(C)D, *see* Intrauterine contraceptive device

J

Jaundice, neonatal, 528–34
Jiggers, 378
Joint
replacement, *see* Arthroplasty
swollen, child, 792

K

Keloids, 293, 294
Keratectomy, 835
Keratoacanthoma, 275, 277
Keratolysis, pitted, 697
Keratoses
actinic, 270–1, 277
arsenical, 275, 277
post-radiation, 277
punctate, 296
seborrhoeic, *see* Seborrhoeic keratosis
tar, 277
Keratotomy, radial, 835
Kidney, in urinary tract infection, 540, 541
Kliovance, 808
Knee
child disorders, 789
surgery, 777–84
replacement, *see* Arthroplasty
Koebner phenomenon, 283
Kurdish refugee, 605–15
229, 655, 720–4

Erratum: Children's orthopaedics in primary care, November 1998

The statement 'Children with risk factors for DDH should ideally be scanned at birth, at six to eight weeks, and again when walking in an effort to reduce the number of late presenting hip dislocations,' in last month's issue was misleading. Mr Monsell's advice is that these patients should be scanned clinically at these points, and that ultrasound scanning is inappropriate.

Index 1998

L

Larva currens, 376
Larva migrans, cutaneous, 374
Laryngeal cancer, 450, 453
Laryngitis, 450–2
Laser surgery
cornea, 835
myocardial hole drilling, 566–8
Latanoprost, 834
Learning disability and menorrhagia, 9–15
Leishmaniasis, cutaneous, 371–4
Lens
artificial (implant), 832–3, 838–40
contact, 869
opacity, 832–3, 836–41
Lentigo maligna, 264
Leptin, 865
Lercanidipine 230
Leukotriene(s), asthma and, 396–7
Leukotriene antagonists, 184, 397, 399
new product, 230, 656
Levofloxacin, 410
Lice, head, 126–9
Lichen planus, 280
Lignocaine, cardiac arrest, 649
Limp, child, 792
Linolenic acid and dementia, 38
Lipase inhibitor (orlistat), 808, 860–5
5-Lipoxygenase inhibitors, 397, 399
Literature, GP, MRCGP and, 53–4, 54–5
Lithium, resistant depression, 31–2
Lofexidine, 736–9, 739–40, 740
Loiasis, 374–6
Lumbar pain, 770–6
Lumps, breast, 218
Lung,
see also Respiratory medicine
disease, 379–83
chronic neonatal, 536
chronic obstructive, *see* Chronic obstructive pulmonary disease
traveller with, 379–83, 387
function (and its assessment)
allergic alveolitis, 201, 202
asthma, 205–6
COPD, 58, 59, 153
matched donor–related lobe transplants in cystic fibrosis, 184
volume reduction surgery in emphysema, 180
Lupus erythematosus, discoid, 280, 286
Lyme disease, 371
Lymph node metastases, testicular carcinoma, 630
Lymphadenopathy, neck, 472–3
Lymphangiomas, 472
Lymphoma, 473–4

M

Macular degeneration, 853
Magnetic resonance imaging, knee, 784
Malaria, 344–6, 349–65
diagnosis (self–/on–the–spot), 344, 365
drugs, *see* Antimalarials
prevention, 344–6
vaccine, 365
Males, *see* Men
Malignancy, *see* Cancer
Mammary artery graft, internal, 569, 571
Mastalgia, 218
Mastoiditis, acute, 468
Maxalt, 724
Mean corpuscular volume and alcohol abuse, 16
Medicated Urethral System for Erection (MUSE), 314, 636
Medroxyprogesterone
pelvic congestion, 123
polycystic ovary syndrome, 103
Mefloquine, 686–91
resistance, 352
toxicity, 344, 356, 361
Meibomian cyst, 844, 845
Melanocytic naevus, 256
Melanoma, 241, 254–66
Men, 601, 616–44(*symp*), 657
breast symptoms, 219
chlamydia, 704–5
cystitis, 700
key health issues, 616–22
Menière's disease, 482–4
Meningitis
meningococcal, 371, 691
viral, 489–92
Meningococcal infection, 371, 691
travellers, 368–71
Menorrhagia, learning disability and, 9–15
Menstruation
disorders
learning disability and, 9–15
in polycystic ovary syndrome, 100–3, 103
ultrasound, 100, 298
postpartum resumption, 94
Mental health, *see* Psychiatry
MEQ, 655, 867
Metastases from testes, 630
Metatarsus varus, 791
Metered-dose inhalers, CFC–free, 179–80
Methadone, 735, 736
Methylphenidate, hyperactive child, 78
Mibefradil, 230
Migraine
new product, 724
teenager, 331–40
visual loss, 853
Milk, excessive drinking, 520, 522
Miscarriage (spontaneous abortion), 88–90
in polycystic ovary syndrome, 106
threatened, 88
Mizollen (mizolastine), 410
MMR scares, 503, 525
Modafenil, 314
Modified essay question, 655, 867
Mole (skin), *see* Naevi
Mole (uterine), 88
Molluscum contagiosum, 846–7
Monoamine oxidase inhibitors (MAOIs)
in anxiety, 43
in depression, 24, 26
reversible (RIMAs), 24, 26
Montelukast, 230, 397, 399
Mood disorders, 24–32, *see also* Depression
Morphine, terminal cancer, 505–15
Mortalities and HRT, 116, *see also* Sudden infant death syndrome; Suicide; Terminal illness
Mosquito bite, prevention, 362
Mother—child relationship, hyperactivity and, 78
MRC Thrombosis Prevention Trial, 799–803
MRCGP, 804–7
oral exam, 134–7, 656
paper I, 866–7
preparation, 654–6
successful strategies, 226–9
video component, 229, 655, 720–4
written paper, 53–5, 654
Mucous membranes, psoriasis, 286
Multicystic ovaries, 100
Multiple myeloma, 614
Multiple sclerosis, 400–4
Multiracial practice, 221–4
Mumps, 474, *see also* MMR
meningitis, 491
Musculoskeletal system, 743–92(*symp.*),*see also* Skeletal disorders
childhood problems, 785–92
HRT and, 115
pain
back, *see* Back pain
in fibromyalgia, 407
knee (children), 789
multiple sclerosis, 403
MUSE, 314, 636
Mushroom worker's lung, 200–1
Mycobacterium tuberculosis, *see* Tuberculosis
Myelin-related disorders, 403
Myeloma, multiple, 614
Myiasis, 378
Myocardium
infarction, 155–62, 566
travel and, 133
ischaemia, silent, 564–6
laser–drilled holes in, 566–8

N

Naevi/moles, 254–66
atypical/dysplastic, 256, 260
Naevoid basal cell naevus syndrome, 289
Nails
melanoma under, 265
pigmentation, 294
psoriasis, 286
Naltrexone, 739, 740
Narcolepsy, 314
Nasal continuous positive airway pressure, 462–4
Nasal disorders, *see* Ear, nose and throat
National Health Service setting, MRCGP and practical problems encountered with, 54
Nebulisers, BTS guidelines, 180
in chronic asthma, 207
Neck lumps, 472–5
Neglect, 520
Neonates
GP's role, 528–36
screening, *see* Screening
Neoplasms, *see* Tumours
Nerve root compression, back pain, 772–3
Neuroleptics, *see* Antipsychotics
Neuro-psychiatric disorders and flying, 386–7
Newborns, *see* Neonates
NHS setting, MRCGP and practical problems encountered with, 54
Nipples
discharge, 218
retraction, 218
Non-compliance, *see* Compliance
Non-insulin-dependent diabetes and polycystic ovary syndrome and, 106
Non-steroidal anti-inflammatory drug
dementia prevention and, 38
in rheumatoid arthritis, 745
Noradrenaline, depression and, 26
Noradrenaline reuptake inhibitor, selective, 656, *see* Serotonin and noradrenaline re–uptake inhibitor
Norethisterone and oestradiol, 808
Nose, *see* Ear, nose and throat
Notification, tuberculosis, 196
Novonorm, 808
Nurses, community mental health, 5
Nut allergy, 592
Nutrition, *see* Diet; Eating problems

O

Obesity
drug therapy, 808, 860–5
polycystic ovary syndrome and, 100, 106
Obsessive—compulsive disorders, 40
Obstetrics, *see* Pregnancy
Occupational alveolitis, 200–1, 202, 204
Ocular problems, *see* Eye
Oedema, malignant otitis, 470–1
Oestradiol and norethisterone, 808
Oestrogens, *see* Hormone replacement therapy; Oral contraceptives
Onchocerciasis, 376–8
Onycholysis, 286
Ophthalmology, *see* Eye
Opiates, terminal cancer, 505–15
Optic neuropathy, ischaemic, 852
Oral cavity, pigmentation, 294
Oral contraceptives in polycystic ovary syndrome, 103

Oral exam, 134–7, 656
Oral rehydration therapy, 390
rice–based, 686
Orlistat (Xenical), 808, 860–5
Orthopaedics, *see* Musculoskeletal system
Osteochondral grafts, knee, 780
Osteoporosis
MRCGP question, 54–5
steroid–induced, prevention, 184
Osteotomy, knee, 780–3
Otitis externa, 466–71
Otitis media with effusion, 455–7
Otorhinolaryngological disorders,
see Ear, nose and throat
Ovaries
cancer, HRT and, 115
cysts, *see* Cysts
Over–breathing, 187–91
Ovulatory failure in polycystic ovary syndrome, 103
Oxygen administration/therapy, 167–71, 172–5
ambulatory, 172
long–term, 167–71, 383
short–burst, 172–5
travellers, 383
in aircraft, 382, 387

P

Pain
abdominal, chronic, 143
breast, 218
facial, sinusitis, 716–17
multiple sclerosis, 403
musculoskeletal, *see* Musculoskeletal system
pelvic, chronic, 120–5, 143
terminal cancer, 505–15
Palmoplantar pustulosis, 283
Panic disorder, 40
Papilloma, squamous, 254
Paranasal sinuses, *see* Sinuses
Peak (expiratory) flow
asthma, 205, 206, 207, 214–15
chronic obstructive pulmonary disease, 153
Pelvic inflammatory disease, 121–3, 704–10
Pelvic region (women)
menorrhagia and pathology in, 12, 15
pain, chronic, 120–5, 143
Pelvic veins, congestion, 123
Penicillin, 725
Penis
circumcision, 671–81, 868
erectile dysfunction, 314, 620–2
premalignant conditions, 275–7
Peripheral nerve tumours, neck, 474
Perthes' disease, 788
Peutz—Jeghers syndrome, 307
Phacoemulsification, 832–4, 840–1
Pharmaceuticals, *see* Drugs
Pharyngeal pouch repair, 479
Phentolamine, erectile dysfunction, 634
Phobic anxiety disorders, 39–40
Photokeratectomy, excimer laser, 835
Photopsia, 302–4
Photosensitivity, amiodarone 131
Pigeon fancier's lung, 201, 204
Pigmented skin
lesions, 254–66
racially, diseases in, 284, 292–6
Pit(s), punctate, 296
Pituitary tumour, 853
Pityriasis alba, 293
Pityriasis rosea, 296
Plaque psoriasis, 284, 285
Plasmodium falciparum resistance, 349–54
Plasmodium vivax resistance, 354
Plavix, 724
Polycystic ovary syndrome, 98–106
Polymerase chain reaction (DNA amplification)
chlamydia, 667, 706
viral meningitis/encephalitis, 491–2
Polymyalgia rheumatica, Kurdish refugee, 614, *see also* Temporal arteritis
Polymyositis, 614
Polyposis, familial adenomatous (FAP) 306–7, 308, 310
Pomade acne, 293–4
Posicor, 230
Postpartum haemorrhage, 94
Post–traumatic stress disorder, 40
Postural deformity, 786, 791
Prednisolone
asthma, 205
chronic obstructive pulmonary disease, 58
Pregnancy, 84–94 *(see)*, 110–13
bleeding in, 84–94
chlamydia and, 709–10
ectopic, 88
key developments, 110–13
loss, *see* Miscarriage
molar, 88
termination, *see* Abortion
tests, 88
ultrasound, *see* Ultrasound
Premalignant skin lesions, 270–7
Premature infant, 534–6
Prescribing antidepressants 26–8
Pressure changes in air travel, 381, 384–5
Preterm infant, 534–6
Probiotics in diarrhoea prevention 394
Problem–solving (MRCGP), 55, 867
Problem–solving therapy, 46
Progesterone challenge test, polycystic ovary syndrome, 103
Proguanil plus chloroquine, 361, 365
Propiverine hydrochloride, 808
Prostaglandin E_1 (alprostadil), intracavernosal, 634
Prostate disorders, 638–44
benign, 636–44
cancer, 618–20, 638
natural history, 6403
treatment, 642, 644
Prostatitis, 700
Provigil, 314
Pseudofolliculitis barbae 293
Psoriasis, 282–6
external ear, 471
scalp, 281, 286
treatment, 285
Psychiatrist
hyperactive children and views of a, 78–82
referral to, 31
Psychiatry, 16–50(*symp.*), *see also* Neuro–psychiatric disorders
hospital admission, 61
referral, *see* Referral
Psychological treatments
anxiety, 46
depression, 31, 542–5
lumbar pain, 776
over–breathing, 189, 191
pelvic congestion, 123
Pulmonary disease/function, *see* Lung; Respiratory medicine *and specific conditions*
Punctate pits and keratoses, 296
Pustular psoriasis, 283, 284
Pustulosis, palmoplantar, 283

Q

Queryat's erythroplasia, 275–7
Quinolone resistance, 682–3
QVAR, 808

R

Racial groups
with pigmented skin, diseases in, 284, 292–6
service provision, 221–4
Radiology, *see* Imaging *and specific modalities*
Radiotherapy, keratosis following, 277
Rail travel and heart disease, 132
Raloxifene, 808
Rashes, returning travellers', 366–78
Reading strategy (MRCGP), 227–9, 654, 722
Reboxetine, 656
5 α–Reductase inhibitors, benign prostatic hyperplasia, 642–4
Referral,
breast disease, 219
cataract, 838–40
chlamydia, 708–9
endometriosis, 69
lumbar pain, 774
multiple sclerosis, 401
psychiatric, 5
depression, 31
visual loss (sudden), 852, 853
voice disorder, 454
Refractive procedures, 835
Refugee, Kurdish, 605–15
Rehydration therapy, *see* Oral rehydration therapy
Religious objection to treatment, 819–30
Renal system and paediatric urinary tract infection, 540, 541
Repaglinide, 808
Respiratory medicine, 57–60, 167–215 *(symp)*
key developments, 179–84
travel and, 379–83
Retinal artery occlusion
branch, 852
central, 851–2
Retinal vein occlusion
branch, 853
central, 852–3
Retinoids, acne, 301
Retinopathy, diabetic, 831–2, *see also* Chorioretinopathy
Revascularisation, transmyocardial, 566–8
Revision for MRCGP, 226–7
Rhesus D status, 90–4, *see also* Anti–D
Rheumatoid arthritis, 733, 743–8
Rheumatological disorder, Kurdish refugee, 612–14, *see also* Musculoskeletal system
Rhinitis, perennial, 650–1
Rice–based oral rehydration therapy, 686
Rickettsial infections, 371
Ringworm, *see* Tinea
Rivastigmine, 592
Rizatriptan, 724
Rodent ulcer, *see* Basal cell carcinoma
Rubeotic glaucoma, 858
Rupioid psoriasis, 284, 285

S

Sacroiliac joint injection, 774
Salbutamol, Clickhaler, 410
Salivary gland disorders, 474
Salpingo–oophorectomy, 123
Scaling of scalp, 280–1
Scalp
psoriasis, 281, 286
scaling, 280–1
tinea, 279, 280, 292
Scarring alopecia, 280–1
Schistosomiasis, 342–4, 376, 699
Scoliosis, child 791
Screening tests
chlamydia, 667, 710
colorectal cancer, 306–7, 308, 314
neonatal
hearing, 481
preterm, 536
pregnancy, 110
Scuba diving and flying, 385, 387
Sea travel and heart disease, 132
Sebaceous gland carcinoma, 849
Seborrhoeic blepharitis, 845–6
Seborrhoeic dermatitis, 281
external ear, 471
Seborrhoeic keratosis/wart, 254, 256
pigmented, 262
Self–management plans, asthma, 212–15
Semimembranosus bursa, 789
Septicaemia, meningococcal, 691
Serotonin (5–HT)
depression and, 26
receptor–1B/1D agonist, 724
Serotonin and noradrenaline re–uptake inhibitor, weight treatment, 865
Serotonin re–uptake inhibitors, selective (SSRIs)
in anxiety, 43
in depression, 26
Serotoninergic syndrome, 28, 32

Sex (gender) and diagnosis, 143
Short normal children, GH therapy, 487
Shoulder replacement, total, 766
Sibutramine, 865
Sickle cell disease and flying, 385, 387
Sight, *see* Vision
Sildenafil (Viagra), 620–2, 636, 725, 808
Simvastatin, post-MI, 161
Singulair, 230
Sinuses, paranasal
chronic sinusitis, 712–17
surgery, *see* Surgery
Skeletal disorders, pelvic pain with, 121, 125
Skeletal dysplasia, GH therapy, 487–8
Skin, *see* Dermatological conditions
Sleeping
breathing problems, 458–64, *see also* Apnoea
child problems, MRCGP question, 55
travel and, 383
Smoking
chronic obstructive pulmonary disease and, 58
dementia, 36
parental, glue ear and, 455
stopping, 231
post-MI, 162
Snoring, 458–64
Social phobia, 40
Soft tissue grafts, knee, 780
Solar (actinic) cheilitis, 272
Solar (actinic) keratosis, 270–1, 277
Somatising patients (depression), 31
Spacer devices, omitting, 206–7
Spermatoceles, 627
Spinal cord stimulation, 774–6
Spine, child disorders, 791
Spirometry
asthma, 206
COPD, 58, 153
Spotted fevers, 371
Squamous cell carcinoma, eyelid, 849
Squamous cell carcinoma in situ (skin), 275–7
Squamous papilloma, 254
Staff, racial issues, 221–4
Staphylococcal infections
eyelid, 845–6
skin (in general), 692, 693
recurrent, 694
Statins (HMG-reductase inhibitors)
in heart failure, 569
post-MI, 156, 161, 162
Stents, coronary, 568–9, 572
Steroid(s)
adverse effects
of inhaled steroids, 481
osteoporosis, prevention, 184
asthma
inhaled, 206, 213, 214, 215
nebulisers and, 207
oral, 205, 207
chronic obstructive pulmonary disease, 59–60
lumbar pain, 774
new products, oral, 230
sinusitis, 716
steroid-sparing agents with inhaled, 180–4
travellers, 383
Steroid-sparing agents, inhaled, 180–4
Stroke
dementia and, 35
HRT and, 115
patient's partner opposing treatment, 819–30
warfarin/aspirin in IHD prevention and risk of, 799–803
Strongyloidiasis, 376
Stye (hordeolum), 844, 845
Subungual melanoma, 265
Suction diathermy adenoidectomy, 479
Sudden infant death syndrome, 536
Suicide
depression and, 28, 32
male, 618
Sulphasalazine, rheumatoid arthritis, 746
Sulphonylurea, new, 592
Sunshine and skin, 260–2
Surgery, *see also specific techniques*
cardiac
in coronary heart disease, 568–9, 570–2, 576
travel and recent, 133
ENT
key developments, 478–9
Menière's disease, 484
erectile dysfunction, 636
eye
cataract, 832–4, 838–41
glaucoma, 834–5
refractive procedures, 835
lung volume reduction, in emphysema, 180
pelvic congestion, 123
prostate disease, 640–2
sinus, 716
functional endoscopic, 478–9
urinary tract infections (child), 541
Swimmer's ear, 468, 471
Synovitis, transient, 788

T

Talipes equinovarus, 791
Tar keratoses, 277
Tavanic, 410
Teenager, headache, 331–40
Telogen effluvium, 279
Temporal arteritis, 852, *see also* Polymyalgia rheumatica
Kurdish refugee, 609
TENS, low back pain, 772
Terminal illness
flying and, 387
pain management, 505–15
Testicular lumps, 627–30
Throat, sore, antibiotics, 493, *see also* Ear, nose and throat
Thromboembolic disease, *see* Embolus; Venous thrombosis/thromboembolism
Thrombosis, deep venous, flying and, 382–3
Thrombosis Prevention Trial, MRC, 799–803
Thyroglossal cysts, 475
Thyroid gland disorders 475
Tick-borne infection, 371
Tinea (ringworm)
capitis (scalp), 279, 280, 292–3
pedis (feet), 225
Tinnitus in Menière's disease, 482, 484
Toe deformities, 791
Traction alopecia, 293
Train travel and heart disease, 132
Training, travel health, 346
Transcutaneous electrical nerve stimulation, low back pain, 772
Transmyocardial revascularisation, 566–8
Transplantation/grafting
knee defects, 780
matched donor-related lobar, in cystic fibrosis, 184
Transvaginal ultrasound, 297–9
Trauma, child, 791–2
Travel medicine, 339, 342–94(*symp.*), 411
heart disease, 130–3, 385
key developments, 342–6
Trazodone, erectile dysfunction, 636
Trichiasis, 850
Trichomycosis axillaris, 697
Trichotillomania, 280
Tricyclic antidepressants in anxiety, 43
Triple test, 110
Tuberculosis, 192–6
cystitis-like symptoms, 699
Kurdish refugee, 609, 612
multi-drug resistant, 184, 196
testicular, 628
Tumours
childhood, 792
eyelid, 846–9
gynaecological, 125, 299
malignant, *see* Cancer
neck, 472, 473–4, 474, 475
pituitary, 853
Turner's syndrome, GH therapy, 487
Typhoid, 368
Typhus, tick, 371

U

Ulcer, rodent,
see Basal cell carcinoma
Ulcerative colitis, 314
Ultrasound, 297–9
knee, 784
polycystic ovaries, 100
in pregnancy, 297–8
antepartum bleeding, 88
postpartum bleeding, 94
post-uterine evacuation, 80
Urethra, drug delivery in erectile dysfunction, 314, 636
Urethral syndrome, 699, 702
Urinary tract
infections, 698–702
child, 538–41
neonate, 534
pain with disorders of, 121, 125
Urine collection/tests, child, 539–40
Uterus
fibroids, 125
prolapse, 125
surgical evacuation, 90
Uveitic glaucoma, 858

V

Vaccination, *see* Immunisation
Vacuum erection devices, 634
Valsalva's manoeuvre, flying, 384
Valvular heart disease and travel, 133
Varicella—zoster virus (chickenpox and herpes zoster)
meningitis/encephalitis, 490, 491, 492
otitis, 470
in pregnancy, 113
Varicocele, 628
Vascular disease, dementia and, 35
Vasomotor effects of HRT, 114
Venous congestion, pelvic, 123
Venous thrombosis-/thromboembolism
flying and, 382–3
HRT and, 115
Ventricular fibrillation and tachycardia 649
Verapamil and travelling heart patients, 132
Vertigo (dizziness)
benign paroxysmal positional, 479–80
in Menière's disease, 482–4
Vesicoureteric reflux, 539, 540, 541
Vestibular suppressants, 483
Viagra, 620–2, 636, 725, 808
Video consultation (MRCGP), 229, 655, 720–4
Viral infections, *see also specific diseases*
conjunctiva, 305
ear (external), 470
meningeal/brain, 489–92
Vision/sight
free tests, 817
sudden loss, 851–3
Vital capacity
in asthma, 205, 206, 207
forced, in chronic obstructive pulmonary disease, 58
Vitamin E and dementia, 38
Vitiligo, 296
Vitreous detachment, posterior, 302–3
Vitreous haemorrhage, 853
Vocal fold pathology, 453, 454
Voice disorders, 448–54
with inhaled steroids, 481
Vomiting, neonatal, 534

W

Warfarin prophylaxis in IHD, 799–803
Weight management, 808, 860–5
Withdrawal, alcohol, 18
Women
chlamydia, 705
cystitis, investigations, 699–700
Work, fibromyalgia and ability to, 408
Writing therapy, 544–5
Written paper (MRCGP), 53–5, 654

XYZ

Xanthelasma, 847–9
Xenical (orlistat) 808, 860–5
Yohimbine, erectile dysfunction, 634
Zafirlukast, 656
Zanidip 230